



MEMORANDUM

To:

Parks and Recreation Board

From:

Jesus M. Olivares, Director

Parks and Recreation Department

Date:

July 22, 2003

Subject:

Site Plan Correction at 3002 Scenic Drive

File No. SP-01-0251DS


A site plan correction has been received from Bruce Aupperle on the behalf of Jerry and Johnstone Bell to change the dimensions and position of a boat dock that has been constructed and red tagged at 3002 Scenic Drive. The dock was built not in accordance to the approved site plan.


The Parks and Recreation Department (PARD) staff has reviewed the site plan correction and finds they do not meet the requirements of Article XIII, Section 25-2-1176, Parts B and D, (Requirements for the Construction of Boat Docks) of the Land Development Code. Parks and Recreation Board approved an 8'X22' boat dock placed parallel to the shore. Parks and Recreation Board gave variances for this dock to be constructed. The dock that was built is 12'X30'. The 30' measured parallel to the shoreline is 39% of the shoreline frontage. The approved 22' was 29% of the shoreline frontage. The approved dock was to be dug into the shore 3' and extend 5' from the original shore. If the dock were dug into the shore, the dock would have extended into the slough 20% of the soughs width. The dock was not dug into shore and extends 12' from shore. The dock is now 43% of the slough width.

The Parks and Recreation Board shall make a recommendation on the distance a dock may extend into the slough and approval by the Parks and Recreation Board is required for a structure to be greater than 20% of the shoreline width.


Jesus M. Olivares, Director


Parks and Recreation Department





SHORE VIEW









MEMORANDUM

To:

Parks and Recreation Board

From:

Jesus M. Olivares, Director

Parks and Recreation Department

Date:

July 22, 2003

Subject:

Construction of Bordelon dock at 2910 Edgewater Drive

File No. SP-03-0176DS

A site plan has been received from LOC Consultants on the behalf of Dr. Jerry Bordelon at 2910 Edgewater Drive.


The Parks and Recreation Department (PARD) staff has reviewed plans for the proposed project and finds they do not meet the requirements of Article XIII, Section 25-2-1176, Parts B and D, (Requirements for the Construction of Boat Docks) of the Land Development Code. The proposed dock extends into the lake more than 30' and has a width greater than 20% of the shoreline frontage.

The Parks and Recreation Board shall make a recommendation on the distance a dock may extend into the lake and approval by the Parks and Recreation Board is required for a structure to be greater than 20% of the shoreline width.

Jesus M. Olivares, Director

Parks and Recreation Department

BOAT DOCK DETAIL SCALE = 1:10











Information Packet

For

BARTHOLOMEW PARK

Austin Clean Water Program
Upper Tannehill – Broadmoor and Cameron Project

CIP No. 4570-237-8566

City of Austin Austin Clean Water Program

on behalf of the Water and Wastewater Utility

INTRODUCTION

The City of Austin (City) has initiated the Austin Clean Water Program to eliminate the occurrence of sanitary sewer overflows (SSO), the presence of which threatens human health and the environment. For the Upper Tannehill Broadmoor and Cameron project, this elimination of SSO is being accomplished by upsizing existing sanitary sewer lines to increase capacity and replacing old infrastructure. Where possible, sanitary sewer lines are being rerouted to remove the lines from the Upper Tannehill Creek. The project also includes steam bank stabilization improvements to mitigate stream instability and ensure the structural integrity of the sanitary sewer system.

PROJECT NEED AND JUSTIFICATION

In April 29, 1999, the EPA found that the City's sanitary sewer system was not in compliance with the City's National Pollution Discharge Elimination System (NPDES) or the Clean Water Act. The EPA issued an Administrative Order (AO) requiring the City to take corrective action immediately to improve the sanitary sewer system to avoid future SSO. The City contracted with several qualified firms to perform Sewer System Evaluation Surveys (SSES) for the purpose of identifying problem areas within the sanitary sewer system and to recommend improvements to the system. The SSES for the Upper Tannehill Broadmoor Cameron project area identified various defects that are directly or indirectly attributable to SSO within the Upper Tannehill sub-basin. To alleviate these defects, the SSES included recommendations for rehabilitation or replacement of public sector main lines, manholes, service lines and lateral lines. In addition, stream bank stabilization measures were also recommended to ensure the stability of new system.

ALTERNATIVES TO THE USE OF PARKLAND

The proposed 24-inch sanitary sewer line in Bartholomew Park replaces an existing 15-inch line and connects into an existing 24-inch line located in the park. The stream stabilization activities are necessary to ensure the integrity of the sanitary sewer lines located in the park.

PROJECT DESCRIPTION AND SCHEDULE

The proposed sanitary sewer lines include approximately 5,400 linear feet of 24-inch, 360 linear feet of 18-inch, 1,025 linear feet of 12-inch and 875 linear feet of 8-inch. Of this, approximately 740 linear feet of 24-inch sanitary sewer line will be installed in the Upper Tannehill Creek bottom and bank located in Bartholomew Park, replacing the existing 15-inch sanitary sewer line. In addition, approximately 1,600 linear feet of stream bank stabilization will be constructed in portion of the Upper Tannehill Creek located in Bartholomew Park. The construction of the sanitary sewer line will generally require a 20-foot wide permanent easement and a 15-foot wide temporary working space easement (i.e., 7.5 feet on either side of the permanent easement). A variable width temporary working space easement along the creek's alignment will also be required for stream bank stabilization within the park. A 100-feet x 200-feet temporary staging area and materials storage site will also be required in the park with possible locations of either the parking lot adjacent to the swimming pool or the grassy area between Berkman Drive and the parking lot.

The sanitary sewer line in the park will be a 24-inch diameter Centrifugally Cast Fiber Reinforced Polymer Mortar Pipe buried between 5 and 15 feet deep. The project has an anticipated total construction cost of approximately \$3.7 million, of which \$1.1 million will be used for stream bank stabilization. The project is scheduled to begin construction in July 2004 and end in December 2005. Construction of the sanitary sewer line in the park will occur during the beginning of the construction period, with the stream bank stabilization construction activities occurring at the end of the construction period. The temporary staging area and materials storage site will be used through the duration of construction.

SHORT TERM EFFECTS OF CONSTRUCTION

Short-term effects during construction in Bartholomew Park will be minimal. Disturbance of the area within the permanent and temporary use agreement will include preconstruction clearing, trenching, pipe installation, temporary spoil and material storage, heavy vehicle tracking and soil compaction. There will be no traffic impacted by the construction of this project. As shown in the attached photos, at least one tree will be removed as part of the project (see "Restoration Plan" below for further information). There will be short-term riparian disturbance within the easement; however, no long-term effects to the riparian habitat are anticipated since all disturbed areas will be restored and revegetated.

LONG TERM EFFECTS OF CONSTRUCTION

The only long-term effects to the Bartholomew Park as a result of the proposed construction, operation and maintenance of the sanitary sewer line will be the restriction of building structures or similar improvement within the permanent use agreement area. This is consistent with the restrictions now placed on the area, which is within the 100-year floodway of Upper Tannehill; therefore, no long-term effects due to the project are anticipated.


RESTORATION PLAN


All disturbed land will be restored and revegetated to a condition equal to or better than that which existed prior to construction. A detailed tree survey and evaluation were performed by the engineer and is attached hereto. At least one tree will be removed as part of the project. As the stream bank stabilization design is finalized, it may illustrate that it is necessary to remove additional trees as part of the project. A final design is expected to be complete by July 18, 2003 and ACWP will notify PARD of any additional trees slated for removal.


The proposed project will positively impact Bartholomew Park through improvements to the degraded steam bank. In addition, as requested by PARD, we are currently evaluating the possibility of relocating waterlines to park facilities due to their proximity to our project. Also, as requested by PARD, we are examining the potential for additional lateral support at the football field as part of stream bank stabilization.

All site restoration will be completed in accordance with the *Standard Specifications and Construction Standards* of the City of Austin. All construction and site restoration for that portion of the project within parkland will also be completed in accordance with PARD's *Construction in Parks Specifications*.


As with all City construction projects, the Contractor will be required to provide a one-year warranty of his work including such restoration, revegetation and tree replacement.























































		DOISTING C	ROUND	
			_	-
-40	-20	0	20	40

PRE	MENT IS NOT IC. PERMITTIN PLICTION PUR LIMINA	
HEJL, LEE & ASSOCIATES, INC. 601 FARLEY DRIVE, AUSTIN, IX 78763 PH. (512) 836-1848 FAX (512) 836-6499	UPPER TANNEHILL — BROADMOOR & CAMERON WASTEWATER LINE REPLACEMENT	EXISTING CROSS—SECTIONS


PRELIMINARY





HOTES	NAME	DATE
SURVEY BY	VARA	2003
DRAWN BY	REP	6/12/03
CHECKED BY	MR	
DESIGNED BY	MR/GA	6/12/03
REVIEWED BY	GA	-
SCALE: 1° =	10'	
CADO REF. NO).;	
CADD DIR.:	13746	



(6)











MEMORANDUM

TO:

Jesus Olivares, Director

Parks and Recreation Department

FROM:

Peter Rieck, Director

Department of Public Works

DATE:

July 15, 2003

SUBJECT:

Request for Use Agreement Across Parkland Shoal Creek WW Improvements, 25th St to 34th St

CIP No. 4570-237-8583 and -8584; eCapris 4926.036 and .037

The Department of Public Works, on behalf of the Water and Wastewater Utility, hereby requests a permanent and temporary use agreement for the construction, operation and maintenance of the proposed 66-inch wastewater tunnel, CIP No. 4570-237-8584 (29th St to 34th St); and for several WW repair and improvements, CIP 4570-237-8583 (Churchill/33rd; Seton/34th; 8-inch on west bank south of 29th St). Attached are the following documents for your use and consideration to support this request:

- A. General Location Map,
- B. Information Packet,
- C. Tree Survey, and
- D. Field Note descriptions.

From these documents, you will note that the permanent use portion of the proposed agreement contains a total of 1.77 acres for permanent wastewater easement and 3.93 acres for the temporary easements.

The wastewater tunnel project includes construction of approximately 3,100 linear feet of 66-inch diameter wastewater pipe in a tunnel, and related appurtenances, to be installed under the general alignment of Shoal Creek, from south of the 29th St bridge to north of West 34th St. About half of the tunnel will be built under private property between these two park locations. Impact to Shoal Creek Park will be limited to the temporary work sites needed to construct the tunnel. These locations are the main shaft site south of 29th St, and the exit shaft site north of 34th Street. There is a second scope of related wastewater work near 34th Street that will create short periods of impact in parkland and it consists of several small areas of work needed to connect local sewage lines to the tunnel. Those small areas result from replacement of sewer lines in the 33rd St, Kerbey Lane, 32nd St, Churchill area by open cut, which includes a short piece in parkland that also requires temp access. And installation of new open cut sewer line in 34th St and Shoal Creek Blvd to provide new wastewater service for Seton Hospital, which will require a small area of line work in parkland and a small staging area. The third scope of work that will impact Shoal Creek park is replacement of an exposed 8-inch line on west bank of Shoal Creek, south of

Mike Heitz, Director April 12. 1995 Page 2

29th St, with a new 8-inch to be installed by open cut line in the alignment of the west bank hike/bike trail.

The project design and bid documents were prepared by Weston Solutions, as part of the Austin Clean Water Program (ACWP). The proposed routing is shown on the General Location Map. The affected parkland is within the 100-year floodplain of Shoal Creek.

Public Works, in cooperation with the Utility, PARD, WPDRD and others, have agreed that the proposed alignment is the most feasible and prudent alternative for installing these needed WW improvements. All reasonable planning efforts have been taken to minimize harm to the area. All construction and site restoration for the project will be completed in accordance with the ACWP Design Manual and Standard Specifications and Construction Standards of the City of Austin. All construction and site restoration for that portion, of the project within parkland, will also be completed in accordance with PARD's Construction in Parks Specifications.

We request that the necessary documentation be prepared for consideration of this request by the Parks and Recreation Board. We have already presented this information to the Land and Facilities Committee and they accepted the plans for restoration and mitigation. We plan to make a presentation to the Parks and Recreation Board at their July meeting to seek their concurrence with the requested land use agreement.

If you have any questions or need any additional information, please feel free to contact Mr. Stan Evans, P.E. (Public Works), who is assigned to the ACWP staff at phone number 479-1636.

Peter Rieck, Director Department of Public Works

Attachments

CC: Gopal Guthikonda w/attachments
Stuart Strong w/attachments
Bill Moriarty, ACWP/Earthtech, w/attachments
Pete Vujasin, ACWP/Earthtech, w/attachments
Junie Plummer w/attachments
Stan Evans w/attachments
file



Information Packet

Shoal Creek Wastewater Improvements to serve the SHOAL CREEK WASTEWATER COLLECTION SYSTEM

CIP No. 4570-37-8583 and -8584 eCapris 4926.036 and 4926.037

City of Austin
Department of Public Works
and
Austin Clean Water Program

on behalf of the Water and Wastewater Utility

INTRODUCTION

The Department of Public Works, on behalf of the Water and Wastewater Utility, is proposing to construct a 66-inch diameter wastewater tunnel and appurtenances to serve the lower end of the Shoal Creek basin wastewater collection system. The proposed tunnel will replace the existing 54-inch Shoal Creek Interceptor that has been exposed by erosion. In conjunction with this project, Public Works is requesting authorization to build a portion of the Wastewater Line in the Shoal Creek Park along Shoal Creek in the area of 29th St near Lamar Blvd and in the area of 34th St. This authorization will require action by the City pursuant to Chapter 26 of the Texas Parks and Wildlife Code.

The proposed wastewater work within parkland consists of the construction of a main work shaft adjacent to 29th St bridge and an exit shaft north of West 34th St. and a 66-inch gravity wastewater line in a tunnel between the shafts along with related appurtenances to tie-in local wastewater services. Between these two areas of parkland, the tunnel will be installed below private properties. In addition to the permanent underground easements for the tunnel, temporary work space easements are requested for the construction of the shafts and the associated work areas.

PROJECT NEED AND JUSTIFICATION

The Austin Clean Water Program (ACWP) was developed to provide wasterwater system improvements needed to overcome system overflows related to deteriorated infrastructure and excessive flows resulting from rainwater infiltration. The US EPA placed an Administrative Order on the City of Austin to eliminate overflows. The wastewater collection system that serves the northern part of the City drains to the Crosstown Tunnel and the overflows for this entire area are to be remedied by September 2005.

In 2002, the City of Austin selected the engineering firm of Weston Solutions to design the improvements to replace the exposed and at-risk 54-inch Shoal Creek Interceptor, which lies in the creek in this reach. In November, 2002, Weston was directed to prepare a Technical Memo Report to evaluate feasibility of protecting the existing line or replacing it with a wastewater tunnel.

The engineer recommended a 96-inch diameter tunnel under Shoal Creek with a 66-inch wastewater pipe. The southern end of the tunnel will be in parkland, adjacent to the 29th St bridge, where a work shaft will be established. Upon completion of the new line in the tunnel, only an access manhole will remain at the shaft site. There will also be underground appurtenances to deliver wastewater flow from the Shoal Creek basin to the existing Crosstown Wastewater Tunnel. There will be another shaft at the north end of the tunnel, north of the W. 34th St bridge, which is also in parkland. There will be a junction box and other underground appurtenances at this location to direct flow from existing 54-inch and 24-inch wastewater interceptors into the new tunnel. This will allow the Utility to decommission the downstream portions of these lines. A length of tunnel and other miscellaneous underground wastewater connections will occur on parkland at the southern and northern portions, while the middle part of the proposed tunnel will be constructed under private properties. We are requesting permanent underground and surface easements for these improvements that occur within parkland, along with temporary work space easements.

The remainder of the proposed wastewater improvements in Shoal Creek Park near 34th St require small, isolated easements to allow connection of local wastewater collection systems to the tunnel. These locations will be installed by underground drilling method which requires an open pit, that will then be backfilled and the vegetation replaced. Another area on the west bank of Shoal Creek, south of 29th St will require an easement along the existing trail for installation of an 8-inch wastewater line.

ALTERNATIVES TO THE USE OF PARKLAND

The feasibility report evaluated three alternative routes for the proposed wastewater tunnel. Only the proposed route was able to avoid the tunnel going under private and public structures. All of the routes had portions that must be in parkland due to the need to intercept existing wastewater lines at the north area by 34th St and reconnect to downstream lines at the south area by 29th St and by Shoal Creek Blvd at Lamar.

PROJECT DESCRIPTION AND SCHEDULE

The wastewater line project will include the construction of approximately 3,100 linear feet of 66-inch diameter wastewater interceptor and related appurtenances in the general area of Shoal Creek, from south of 29th St bridge to north of 34th St bridge. The project routing, design and bid documents were prepared by Weston Solutions, as part of the Austin Clean Water Program (ACWP). The proposed routing is shown on the General Location Map. The entire length will be tunnel, with miscellaneous work areas constructed by open cut and underground drilling to provide connection of existing WW lines to the tunnel. The affected parkland is within the 100-year floodplain of Shoal Creek, except for the shaft location adjacent to 29th St bridge.

The proposed tunnel will require a work shaft and work space/staging area to be located within the parkland adjacent to 29th St and 34th St. The major surface activity for the tunnel will occur at the work shafts, including storage of spoil material, load-out of spoil to haul trucks, storage of pipe, and field offices for the contractor. The temporary work space easements for all of the several scopes will total about 3.93 acres. The wastewater tunnel will require a 10' wide permanent underground wastewater easement.

The several projects in Shoal Creek Park have an anticipated construction cost of \$8,000,000. Bidding is scheduled in the fall of 2003 with work to begin early in 2004 and work will end about September 2005.

SHORT TERM EFFECTS OF CONSTRUCTION

Short-term effects during construction will be rerouting of some trails and damage to limited portions of trail improvements. The construction will not interfere with any other park functions. Disturbance of the area within the permanent and temporary use agreement will include preconstruction clearing, trenching, pipe installation, temporary spoil and material storage, heavy vehicle tracking and soil compaction. Damaged improvements will be replaced and areas of disturbance will be revegetated. Few trees, if any, will be impacted within the areas covered by the use agreement. There will be one area of creekbank disturbance north of 34th St, but no riparian disturbance is expected.

LONG TERM EFFECTS OF CONSTRUCTION

The only long-term effects to the parkland as a result of the proposed construction, operation and maintenance of the wastewater line will be the restriction of building structures or similar improvement within the limited areas of the permanent use agreement (total area is only1.77 acres). Building restriction is also consistent with the restrictions now placed on those portions of the wastewater line that are within the 100-year floodplain of Shoal Creek; therefore, no long-term effects due to the project are anticipated. Construction of the proposed wastewater facilities will remove potential pollution of the creek by correcting recurring and potential sewage overflows, and will therefore improve the public health. These contracts will also provide improvements to parkland trails and two ADA creek crossings. In the future, removal of sewage flows from the existing lines in the creek will allow removal of the lines and the unsightly concrete caps for about 1500 LF in the reach south of 29th St.

RESTORATION PLAN

All disturbed land will be restored and revegetated to a condition equal to or better than that which existed prior to construction. Areas used for roadways, parking, etc., will first be tilled in order to remove any vehicle tracks and to loosen compacted soil prior to the preparation of the ground for revegetation. It is anticipated that the entire permanent and temporary use agreement area at 29th St and at 34th St will require such treatment, but the majority of tunnel and appurtenances will not require such treatment, since they are underground.

Just south of 34th St bridge, where this work needs access along trails, we will reconstruct limited areas where erosion has undermined paved trails, and a creek crossing will be constructed as part of the mitigation package.

The trail south of 29th St (that will be impacted for installation of the 8-inch wastewater line) will be reconstructed with an improved surface, consisting of about 2000 LF of new trail, plus a proposed creek crossing will be constructed as part of the mitigation package. In addition, about 30 LF of streambank stabilization will be constructed adjacent to Shoal Creek Blvd at Lamar where the trail is very close to the creek flows.

A detailed tree survey and evaluation were performed by the engineer and is attached hereto. That survey determined that only a few trees will be affected by the construction. The project will include replacement planting or payment for those trees in accordance with PARD's Construction in Parks Specifications.

All site restoration will be completed in accordance with the Standard Specifications and Construction Standards of the City of Austin. All construction and site restoration for that portion of the project within parkland will also be completed in accordance with PARD's Construction in Parks Specifications.

As with all City construction projects, the Contractor will be required to provide a one-year warranty of his work including such restoration, revegetation and tree replacement.

TREE SURVEY

TREE LIST (Tag, Size & Description)

- 2 10" 10" CEDAR ELM
- 3 12" CEDAR ELM
- 4 20" CEDAR ELM
- 5 9" LIVE OAK
- 6 19" CEDAR ELM
- 7 14" CHINESE TALLOW
- 8 8" 3" CEDAR ELM
- 9 14" CHINESE TALLOW
- 10 4" HACKBERRY
- 11 13" 4" CEDAR ELM
- 12 13" COTTONWOOD
- 13 10" CHINESE TALLOW
- 14 13" 6" CHINESE TALLOW
- 15 16" CEDAR ELM
- 16 14" CEDAR ELM
- 17 17" 7" 7" LIVE OAK
- 18 18" HACKBERRY
- 19 32" CHINESE TALLOW
- 20 17" PECAN
- 21 17" LIVE OAK
- 22 16" COTTONWOOD
- 23 12" COTTONWOOD
- 24 24" HACKBERRY
- 25 25" HACKBERRY
- 26 12" PECAN
- 27 17" CHINABERRY
- 28 11" CEDAR ELM
- 29 9" CEDAR ELM
- 30 10" CEDAR ELM
- 31 18" 8" PECAN
- 32 8" 4" WILLOW
- 33 10" SPANISH OAK
- 34 9" SPANISH OAK
- 35 8" SPANISH OAK
- 36 11" SPANISH OAK
- 37 8" CEDAR ELM
- 38 15" PECAN
- 39 10" PECAN
- 40 11" CEDAR ELM
- 41 8" LIVE OAK
- 42 7" SPANISH OAK
- 43 18" 7" 7" 7"
- 44 13" PECAN
- 45 30" PECAN
- 46 18" LIVE OAK
- 47 7" PECAN
- 48 26" LIVE OAK
- 49 26" LIVE OAK

- 50 8" SPANISH OAK
- 51 8" SPANISH OAK
- 52 8" 4" HACKBERRY
- 53 14" PECAN
- 54 15" CEDAR ELM
- 55 20" CEDAR ELM
- 56 5" CHINESE TALLOW
- 57 4" CHINESE TALLOW
- 58 6" CHINESE TALLOW
- 59 4" CHINABERRY
- 60 6" 4" CHINABERRY
- 61 4" 4" 4" CHINABERRY
- 62 5" 4" MIMOSA
- 63 4" 4" WILLOW
- 64 10" AMERICAN ELM
- 65 12" 6" AMERICAN ELM
- 66 4" AMERICAN ELM
- 67 5" PECAN
- 68 5" HACKBERRY TO BE REMOVED
- 69 4" ASH
- 70 8" 5" 4" AMERICAN ELM TO BE REMOVED
- 71 6" 6" 5" CEDAR ELM TO BE REMOVED
- 72 12" CEDAR ELM
- 73 6" HACKBERRY
- 74 10" CEDAR ELM
- 75 9" CEDAR ELM
- 76 6" HACKBERRY
- 77 7" CEDAR ELM
- 78 7" LIVE OAK
- 79 12" CEDAR ELM
- 80 9" CEDAR ELM
- 81 13" PECAN
- 82 12" PECAN
- 83 13" CEDAR ELM
- 84 10"CEDAR ELM
- 85 6" CEDAR ELM
- 86 4" CEDAR ELM
- 87 10" CEDAR ELM
- 88 11" CEDAR ELM
- 89 10" CEDAR ELM
- 90 9" CHINABERRY
- 91 9" CEDAR ELM
- 92 12" CEDAR ELM 93 12" 4" CEDAR ELM
- 94 5" ELM
- 96 5" CEDAR ELM
- 97 7" HACKBERRY
- 98 21" SPANISH OAK
- 99 13" PECAN

100	18"	CEDA	١R	EL	M
-----	-----	------	----	----	---

- 101 7" ASH
- 102 12" CEDAR ELM
- 103 7" CEDAR ELM
- 104 7" CEDAR ELM
- 105 17" CEDAR ELM
- 106 8" PECAN
- 107 16" PECAN
- 108 9" HACKBERRY
- 109 17" 6" 2"
- 110 5" 4" CEDAR ELM
- 111 13" CEDAR ELM
- 112 16" CEDAR ELM
- 113 10" 4" ELM
- 114 7" PECAN
- 115 14" CEDAR ELM
- 116 13" 12" CEDAR ELM
- 117 12" CEDAR ELM
- 118 10" PECAN
- 119 12" CEDAR ELM
- 120 12" PECAN
- 121 31" CEDAR
- 122 15" HACKBERRY
- 123 14" CEDAR ELM
- 124 15" PECAN
- 125 13" ELM
- 126 7" CEDAR
- 127 20" ELM
- 128 15" CHINABERRY
- 129 17" ELM
- 130 30" COTTONWOOD
- 131 12" 4" ASH
- 132 12" ELM
- 133 9" PECAN
- 134 10" CEDAR ELM
- 135 9" PECAN
- 136 7" PECAN
- 138 6" ASH
- 139 14" CHINABERRY
- 140 15" CEDAR ELM
- 141 6" ASH
- 142 8" ELM
- 143 14' PECAN
- 144 32" COTTONWOOD
- 145 21" CEDAR
- 146 24" ELM
- 147 15" ELM
- 149 12" WILLOW
- 150 14" CEDAR ELM

- 151 15" BOXELDER ASH
- 152 11" WILLOW
- 153 12" WILLOW
- 154 12" WILLOW
- 155 11" WILLOW
- 156 7" ASH
- 157 6" ASH
- 158 6" ASH
- 159 10" WILLOW
- 160 7" ASH
- 161 7" 3" ASH
- 162 12" WILLOW
- 163 14" WILLOW
- 164 7" CHINESE TALLOW
- 165 6" CEDAR ELM
- 166 5" OAK
- 167 7" CHINQUAPIN OAK
- 168 8" 7" 7" 6" CHINQUAPIN OAK
- 169 7" 4" CHINABERRY
- 170 12" COTTONWOOD
- 171 13" CHINABERRY
- 172 6" CHINESE TALLOW
- 173 6" CHINESE TALLOW
- 174 6" CHINESE TALLOW
- 175 5" ASH
- 176 21" CEDAR ELM
- 177 6" 5" 4" ASH
- 178 6" CHINABERRY
- 179 6" CHINABERRY
- 180 12" ELM
- 181 6" HACKBERRY
- 182 16" LIVE OAK
- 183 6" CEDAR ELM
- 184 8" CEDAR ELM
- 185 10" ASH
- 186 11" WILLOW
- 187 8" CHINESE TALLOW
- 188 10" WILLOW
- 189 22" WILLOW
- 190 14" HACKBERRY
- 191 9" CEDAR ELM
- 192 6" HACKBERRY
- 193 14" HACKBERRY
- 194 15" WILLOW
- 195 25" HACKBERRY
- 196 8" 8" HACKBERRY
- 197 12" CEDAR ELM
- 198 13" CEDAR ELM
- 199 10" CEDAR ELM

TREE SURVEY

200	11"	CEDA	R ELM
-----	-----	-------------	-------

201 12" HACKBERRY

202 10" ELM

203 7" HACKBERRY

204 16" CEDAR ELM

205 15" CEDAR ELM

206 11" HACKBERRY

207 9" HACKBERRY

208 9" HACKBERRY

209 10" HACKBERRY

210 7" HACKBERRY

211 9" ELM

212 15" HACKBERRY

213 11" PECAN

214 18" AMERICAN ELM

215 11" PECAN

216 13" CEDAR ELM

217 14" CEDAR ELM

218 11" CEDAR ELM

220 15" SPANISH OAK

221 10" CHINABERRRY

222 22" LIVE OAK

223 10" CEDAR ELM

224 21" CEDAR ELM

226 9" HACKBERRY

227 7" HACKBERRY

228 5" 5" MULBERRY

228 10" CEDAR ELM

229 8" 4" CHINABERRY

230 11" HACKBERRY

231 10" CHINABERRY

232 12" HACKBERRY

233 8" 2" 2" CHINABERRY

200 U Z Z OTINADEKI

234 5" CHINABERRY

235 4" CHINABERRY

236 8" CHINABERRY

238 11" HACKBERRY

239 12" HACKBERRY

240 12" HACKBERRY

241 6" CHINABERRY

242 9" ELM

243 10" 8" ELM

244 8" ELM

245 8" HACKBERRY

246 10" 9" 9" 8" COTTONWOOD

247 5" COTTONWOOD

248 12" ELM

249 13" ELM

250 25" LIVE OAK

- 251 24" LIVE OAK
- 252 12" ELM
- 253 22" LIVE OAK
- 254 11" ELM
- 255 9" ELM
- 256 12" ELM
- 257 12" 12" ELM
- 258 13" ELM
- 259 11" ELM
- 260 26" MESQUITE
- 261 8" LIVE OAK
- 262 12" ELM
- 263 7" ELM
- 265 13" MESQUITE
- 266 14" MESQUITE
- 267 16" HACKBERRY
- 268 16" COTTONWOOD
- 269 10" HACKBERRY
- 269 13" 5" 5" 5" MESQUITE
- 270 13" PECAN
- 271 12" PECAN
- 273 6" ELM
- 274 8" TREE
- 274 4" 4" 4" HACKBERRY
- 275 17" HACKBERRY
- 276 12" CEDAR
- 277 11" CEDAR ELM
- 279 11" HACKBERRY
- 280 7" ELM
- 281 12" CEDAR ELM
- 282 7" CEDAR ELM
- 283 8" CEDAR ELM
- 284 12" CEDAR ELM
- 285 13" CEDAR ELM
- 286 13" COTTONWOOD
- 286 7" ELM
- 287 11" ELM
- 287 13" 12" CEDAR ELM
- 288 13" CEDAR ELM
- 289 22" LIVE OAK
- 400 5" 4" LIGUSTRUM
- 401 5" COTTONWOOD TO BE REMOVED
- 402 5" CHERRY LAUREL
- 403 6" CHINABERRY
- 404 5" BOIS D'ARC
- 405 5" BOIS D'ARC
- 406 5" HACKBERRY
- 407 11" SHUMARD OAK
- 408 5" WILLOW

- 409 10" 6" 4" WILLOW
- 410 6" CEDAR ELM TO BE REMOVED
- 411 5" PECAN TO BE REMOVED
- 501 14",14",12",12" CHINABERRY
- 502 22",12" LIVE OAK
- 503 6" HACKBERRY
- 504 6" HACKBERRY
- 505 6" HACKBERRY
- 506 8" HACKBERRY
- 507 4" LIVE OAK
- 508 7" HACKBERRY
- 509 7".6" HACKBERRY
- 510 32",20",12" LIVE OAK
- 511 17" LIVE OAK
- 512 10" LIVE OAK
- 513 23" PECAN
- 514 42" LIVE OAK
- 515 52" LIVE OAK
- 516 14" CHINABERRY
- 517 18" COTTONWOOD
- 518 9" COTTONWOOD
- 519 9" COTTONWOOD
- 520 7" COTTONWOOD
- 521 7" HACKBERRY
- 522 15",12",10" COTTONWOOD
- 523 8" HACKBERRY
- 524 5",4" AMERICAN ELM
- 525 5",5",4",4" COTTONWOOD
- 526 8",6" HACKBERRY
- 527 18" WILLOW
- 528 20",17" WILLOW
- 529 18",16" WILLOW
- 530 5",5" AMERICAN ELM
- 531 8",6" AMERICAN ELM

SHOAL CREEK 25TH TO 29TH PROPOSED 8-INCH WASTEWATER LINE

Tag	Size	
Number	(inches)	Description
5305	9	elm
5306	4	elm
5307	4	elm
5308	4	elm
5309	18	elm
5310	10	elm
5329	16	
5372	5	elm (to be removed)
5373	4	elm
5374	5	elm
5375	12	elm
5376	12	elm
5377	6	elm
5378	12	elm
5379	6	elm
5380	8	
5381	6	elm
5382	5	elm
5384	12	elm
5385	9	elm
5386	15	elm
5387	9	elm
5388	12	mesquite
5389	7	mesquite
5390	10	elm
5391	15	elm
5392	5	
5393	12	
5394	12	elm
5395	5	elm
5396	8	elm
5397	12	elm
5398	12	
5399	6	cedar
5401	4	elm
5402	4	elm
5403	16	elm
5404	5	elm
5405	13	elm
5431	8	elm
5432	6	elm
5433	18	elm
5435	42	elm
5444	8	elm
5445	10	elm
5446	10	elm

SHOAL CREEK 25TH TO 29TH PROPOSED 8-INCH WASTEWATER LINE

5447	10	cedar
5448	5	elm
5451	5	elm
5452	6	elm
5453	12	elm
5454	6	elm
5455	6	elm
5456	15	elm
5457	5	elm
5459	9	elm
5461	12	elm
5462	6	elm
5463	4	
5464	7	elm
5465	15	elm
5466	10	elm
5467	12	elm
5468	10	elm
5469	7	elm
5470	4	elm
5471	10	elm
5472	15	elm
5473	10	elm
5474	12	elm
5475	9	eim
5476	10	elm
5477	16	elm
5478	16	elm
5479	4	elm
5480	18	elm
5485	15	elm
5512	9	elm
5513	15	mesquite
5514	10	cedar
5515	12	elm
5516	12	elm
5517	10	elm
5524	12	elm
5525	12	elm
5526	15	0
5527	12	elm
5537	12	elm
5538	6	elm
5548	12	cedar
5549	12	cedar
5550	12	elm
5551	6	eim
5575		
22/2	18	elm

SHOAL CREEK 25TH TO 29TH PROPOSED 8-INCH WASTEWATER LINE

5576	10	elm
5577	10	elm
5578	12	elm
5579	12	elm
5580	12	cedar
5581	12	elm
5582	6	elm
5583	12	elm
5584	9	elm
5585	12	cedar
5586	8	elm
5587	14	elm
5588	10	
5589	10	elm
5590	6	elm
5591	10	elm
5592	5	elm
5593	11	elm
5594	9	elm
5595	9	elm
5596	16	
5597	6	cedar
5598	7	elm
5603	12	elm
5608	5	elm
5609	5	elm
5610	12	elm
5611	8	elm
5612	9	elm
8006	12	china
8012	5	
8017	6	
8043	7	to be removed
8071	5	
8091	13	
8101		to be removed
8102		to be removed
8104	15	
8105	15	
8119		to be removed
8121	8	

